



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 1 of 24

Customer : Hangzhou Huatai Optic Tech. Co., Ltd.

Address : 2-2-4/F, No. 224 Tianmushan Road, Hangzhou 310012, P. R. China

Report on the submitted sample said to be

Sample Name : Optical Fiber Amplifier

Style No. : HA5100

Sample Receiving Date : December 12, 2008

Testing Period : From December 15, 2008 to December 25, 2008

Test Requested : With reference to RoHS Directive 2002/95/EC, and its amendment directives.

Test Method : With reference to IEC 62321 Ed 1.0
Screening by XRF Spectroscopy

Results : Please refer to next page(s).

Signed for and on behalf of
BACL

William Wei

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 2 of 24

Results:

1. Tested Part(s) List:

Part(s) Name	Model/ Specs	Seq. No.	Sample Description
Top Cover	/	1.1	Silvery metal board
	Cross brad	1.2	Silvery metal screw
Front Side Cover	/	1.3	Silvery metal board with black printing
	Cross stud	1.4	Multi-colored zinc plating metal screw
	Cross stud	1.5	Multi-colored zinc plating metal screw (Long)
	/	1.6	Black plating metal (Handle)
	/	1.7	Copper-colored metal screw
Both Side Cover & Bottom Cover	/	1.8	Blue zinc plating metal rivet
	/	1.9	Blue zinc plating metal rivet (Small)
Power Wire	H05VV-F 10A, 250V	1.10	Black plastic
		1.11	Ivory plastic
		1.12	Black plastic outer cable jacket
		1.13	Copper-colored metal
		1.14	Dull brown plastic cable jacket
		1.15	Blue plastic cable jacket
		1.16	Yellow with green plastic cable jacket
		1.17	Copper wire core
		1.19	Silvery metal column
		1.20	Cream-colored plastic
		1.21	Bright silvery metal sheet
1.22	Black plastic		
Row Wire (Three Rows)	B237831 AWM 1007 18AWG 80 300V VW-1	2.1	Transparent plastic sheet with blue coating
		2.2	Semi-transparent plastic
		2.3	Black plastic cable jacket
		2.4	Brown plastic cable jacket

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 3 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description	
Row Wire (Three Rows)	B237831 AWM 1007 18AWG 80 300V VW-1	2.5	Blue plastic cable jacket	
		2.6	Silvery metal	
		2.7	Silvery metal wire core	
Row Wire (Seven Rows)	/	2.8	Cream-colored plastic	
		2.9	Yellow plastic cable jacket	
		2.10	Red plastic cable jacket	
		2.11	Silvery metal	
Fan	AD0405MS-C50	2.12	Silvery label with black and blue coating	
		2.13	Black plastic (Frame)	
		2.14	Black plastic cap (Small)	
		2.15	Black audion	R1P (Q2) W32 88J1
		2.16	Black body with silvery metal pin	
		2.17	Silvery metal pin	
		2.18	PCB (Green coating, Copper foil, Solder and SMD circuit components) (SHPC)	Motor
		2.19	Silvery metal cover	
		2.20	Grey solid sheet	
		2.21	Black gear-shaped plastic ring	
		2.22	Dull silvery gear-shaped metal ring	
		2.23	Copper wire	
		2.24	Red lacquered wire	
		2.25	Copper-colored hollow metal column	
		2.26	Silvery metal axes	
		2.27	Red plastic cable jacket (Thin)	
2.28	Black plastic cable jacket (Thin)			
Tin line	/	2.29	Silvery metal	
Audion	/	2.30	Orange diode body	
Tantalum Capacitor	106/ 16V	2.31	Yellow body	
SMD Capacitor	/	2.32	Black SMD capacitor body	
Audion	J44G	2.33	Black audion body	

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 4 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description
/	KDS8G	2.34	Silvery metal body
		2.35	Silvery metal pin
Crystal Oscillator	8.000	2.36	Crystal oscillator body
		2.37	Silvery metal pin
IC	HCK4Q5A CDN2407	2.38	Black IC body
		2.39	Silvery metal pin
IC	75E318K LM324	2.40	Black IC body
		2.41	Silvery metal pin
IC	431AC 7CM 48KN	2.42	Black IC body
		2.43	Silvery metal pin
IC	NDMC NSO 0747 MAX THAILAND	2.44	Black IC body
		2.45	Silvery metal pin
IC	LM1117-3.3	2.46	Black body
		2.47	Silvery metal sheet
IC	74HC245D L7K8S1 UnG0806E	2.48	Black body
		2.49	Silvery metal pin
IC	89A8J2T M430F149	2.50	Black body
		2.51	Silvery metal pin
Voltage Stabilizer	TIP122 GKL87 CHN 824	2.52	Black body
		2.53	Silvery with copper-colored metal
		2.54	Silvery with copper-colored metal sheet
Voltage Stabilizer	TIP127 CC1AEW MAR720	2.55	Black body
		2.56	Silvery with copper-colored metal
		2.57	Silvery metal pin
Connecting Plate	CON14A 14Pin Double Connector	2.58	Black body
		2.59	Silvery with copper-colored metal pin
Inductor	SB-2 E196	2.60	Black plastic outer
		2.61	Ferrite with green coating
		2.62	Copper coil

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 5 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description
Electrolytic Capacitor	16V, 220µF	2.63	Black plastic sheet with white coating
		2.64	Silvery metal cover
		2.65	Semi-transparent electrolytic paper
		2.66	Dull silvery metal sheet
		2.67	Black plastic
		2.68	Silvery metal pin
Electrolytic Capacitor	25V, 470µF	2.69	Black plastic sheet with white coating
		2.70	Silvery metal cover
		2.71	Semi-transparent electrolytic paper
		2.72	Dull silvery metal sheet
		2.73	Grey solid sheet
		2.74	Black plastic
		2.75	Silvery metal pin
/	BONENS 3266 W103 302B	2.76	Blue plastic cover
		2.77	Beige plastic
		2.78	Silvery metal nail
		2.79	White solid sheet
		2.80	Silvery metal pin
Screw	/	2.81	Silvery metal screw
/	/	2.82	Black plastic
PCB	5461-201 V. 050425	2.83	PCB (Green coating, copper foil)
PCB	1550-RJ45 V. 080417 350D439	2.84	PCB (Green coating, copper foil)
Nut	/	2.85	Hexagonal silvery metal nut
Plug	WK 10A, 250V	2.86	Black plastic
		2.87	Silvery metal
		2.88	Green plastic
		2.89	Black plastic
		2.90	Silvery-white plastic pipe
		2.91	Silvery metal sheet

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 6 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description
Bracket	/	2.92	Blue plastic
		2.93	Silvery metal
		2.94	Silvery metal pin
Switch	/	2.95	Black plastic
		2.96	Silvery metal hollow column
		2.97	Silvery metal spring
		2.98	Silvery metal sheet
		2.99	Silvery metal sheet
Switch	/	3.1	Black plastic
		3.2	Grey plastic
		3.3	Dull silvery metal spring
		3.4	Dull silvery metal (U shape)
		3.5	Copper-colored metal (Small clamp)
		3.6	Silvery with copper-colored metal pin
LED	/	3.7	Green plastic
		3.8	Silvery metal pin
LED	/	3.9	Yellow plastic
		3.10	Silvery metal pin
USB Connector	/	3.11	Black plastic
		3.12	Silvery metal sheet
		3.13	Copper-colored metal pin
Key	/	3.14	Black plastic
		3.15	Silvery metal
		3.16	Silvery metal ring
Lock	/	3.17	Silvery metal (With screw thread)
		3.18	Silvery metal ring
		3.19	Silvery metal (With green and red pot)
		3.20	Silvery round metal sheet
		3.21	Black plastic

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 7 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description
Lock	/	3.22	Silvery metal pin
		3.23	Silvery metal (∩ shape)
		3.24	Silvery steel bead
		3.25	Silvery metal spring
		3.26	Silvery metal sheet
		3.27	Black plastic
LCD	LMB202DFC	3.28	Black plating metal shelf
		3.29	Semi-transparent grey plastic sheet with adhesive
		3.30	White with black plastic
		3.31	Transparent glass
		3.32	Semi-transparent plastic sheet
		3.33	White plastic sheet
		3.34	Transparent plastic board
		3.35	Silvery adhesive plastic sheet
		3.36	White label with black printing
		3.37	Fibreboard (White coating, solder and SMD resistor)
		3.38	Black bonding IC (U1, U2)
		3.39	PCB (Green coating, copper foil, solder, white writing, fibreboard)
		3.40	PCB (Green coating, copper foil, white writing, fibreboard) (HT-EDFA-2U-CPU-080218 350D420)
Switch Power Supplier	CH260BHT-220110VAC	3.41	White label with black printing
		3.42	White plastic label with black printing
		3.43	Silvery metal screw
		3.44	Silvery metal board
		3.45	Silvery with copper-colored metal net
		3.46	Olive-brown paperboard with plastic film
		3.47	Silvery metal board
		3.48	Silvery metal screw
		3.49	Multi-colored zinc plating metal
		3.50	Grey plastic pipe

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 8 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description	
Switch Power Supplier	CH260BHT-220110VAC	3.51	Grey plastic sleeve pipe	
		3.52	Black body	
		3.53	Silvery metal pin	IC (5L0380R) (IC1, IC2)
		3.54	Green plastic sheet with white coating	
		3.55	Silvery metal cover	Electrolytic Capacitor (50V, 47μF) (CD3, CD4)
		3.56	Semi-transparent electrolytic paper	
		3.57	Dull silvery metal sheet	
		3.58	Grey solid sheet	
		3.59	Black plastic	
		3.60	Silvery metal pin	
		3.61	White glue	
		3.62	Black plastic sheet with white coating	Electrolytic Capacitor (400V, 100μF) (CD1, CD2)
		3.63	Silvery metal cover	
		3.64	Dull silvery metal sheet	
		3.65	Grey solid sheet	
		3.66	Semi-transparent electrolytic paper	
		3.67	Black plastic	
		3.68	Silver metal pin	
		3.69	Transparent plastic sheet with yellow adhesive	CH260BHT (T1, T2)
		3.70	Silvery-white plastic label with black printing	
		3.71	White label with black lettering	
		3.72	Yellow adhesive plastic	
		3.73	Black ferrite	
		3.74	Yellow adhesive plastic (Wider)	
		3.75	White adhesive plastic	
		3.76	Copper coil	
		3.77	Black plastic	
		3.78	Silvery metal pin	

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 9 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description		
Switch Power Supplier	CH260BHT-220110VAC	3.79	Yellow plastic with black printing	IEC384-14 0.3μF(K)X2 (CX1, CX2)	
		3.80	Silvery-grey solid foil		
		3.81	Silvery metal pin		
		3.82	Yellow adhesive plastic (V-30mH-0.5)		
		3.83	White label with white lettering (LF1)		
		3.84	Black ferrite		
		3.85	White plastic		
		3.86	Copper coil		
		3.87	Black ceramic	PSI SBL2045CT AKA AT0833 (D5, D6)	
		3.88	Silvery metal		
		3.89	Silvery metal pin		
		3.90	White plastic ring (Small Cap)		
		3.91	Grey plastic sheet		
		3.92	Silver metal (With small square hole and be attached to baffle)		
		3.93	Black plastic shrink thimble	Inductor (L1, L2)	
		3.94	Copper coil		
		3.95	Graphite mandril		
		3.96	Green plastic sheet with white coating		
		3.97	Silvery metal cover		
		3.98	Semi-transparent electrolytic paper		
3.99	Dull silvery metal sheet				
4.1	Grey solid sheet				
4.2	Black plastic				
4.3	Silvery metal pin				
4.4	Blue coating				
4.5	Black solid				
4.6	Silvery metal pin				
4.7	Blue coating				
4.8	Coffee solid				
4.9	Silvery metal pin				

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 10 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description		
Switch Power Supplier	CH260BHT-220110VAC	4.10	Transparent blue plastic thimble		
		4.11	Bright silvery metal		
		4.12	Silvery metal cap with fuse	Fuse	
		4.13	Transparent glass		
		4.14	Black body		
		4.15	Silvery metal pin	CC825-EL817 (IC4)	
		4.16	Silvery ceramic	RS407 (BD1)	
		4.17	Copper-colored metal with silvery plating		
		4.18	Blue coating	CT81 LY 222M	
		4.19	Coffee solid		
		4.20	Silvery metal pin		
		4.21	Black ceramic	5D-11 (NDC)	
		4.22	Silvery metal pin		
		4.23	Yellow resistor with four colored striations	Color Circle Resistor (R2, R3)	
		4.24	Silver metal pin		
		4.25	Yellow resistor with four colored striations	Color Circle Resistor (R23, R24)	
		4.26	Silver metal pin		
		4.27	Black plastic	IC (5BM463E TL431AC) (IC5, IC6)	
		4.28	Silver metal pin		
		4.29	Blue body (SMD Capacitor 472M, 1KV) (C1, C2)		
		4.30	Blue resistor with five colored striations (R16, R19, R21, R22)		
		4.31	Blue resistor with five colored striations (R4, R5)		
		4.32	Yellow resistor with four colored striations (R17, R20)		
		4.33	Yellow resistor with four colored striations (R12, R13)		
		4.34	Yellow resistor with four colored striations (R6, R10, R11)		
		4.35	Yellow resistor with four colored striations (R1)		
		4.36	Yellow resistor with four colored striations (R18)		
		4.37	Yellow resistor with three colored striations (R14, R15)		
4.38	Yellow resistor with four colored striations (R8)				

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 11 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description
Switch Power Supplier	CH260BHT-220110VAC	4.39	Black body
		4.40	Silvery metal pin
		4.41	Yellow body
		4.42	Silvery metal pin
		4.43	Khaki body (SMD Capacitor102, 1KV) (C7, C8)
		4.44	Black body
		4.45	Silvery metal pin
		4.46	Black body
		4.47	Silvery metal pin
		4.48	Silvery metal line (Jump J1, J2, J3, J4, J5)
		4.49	Green plastic
		4.50	Silvery metal pin
		4.51	Silvery metal pin (CN1, CN2)
		4.52	PCB (Green coating, copper foil, solder, black printing) (CH260BHT)
Pipe	LC94ZKH74-20R	4.53	Indigotic plastic pipe
Tiny Transmission Tube	/	4.54	Transparent plastic
Label	/	4.55	White label with black and yellow coating
Clamp	/	4.56	Silvery metal sheet
Thimbe	/	4.57	Black plastic thimble
Pin	/	4.58	Golden metal pin
Top Cover	/	4.59	Silvery metal
Round Small sheet	/	4.60	Silvery metal
Powder	/	4.61	White powder
Solid	/	4.62	Black solid
/	/	4.63	Silvery metal sheet with silvery squares
/	/	4.64	Silvery metal sheet with golden plating
/	/	4.65	Dull pink solid with golden plating
Wire	/	4.66	Golden connecting metal line
/	01314728	4.67	Transparent plastic with black, blue and red color
/		4.68	Transparent glue
/		4.69	Silvery metal pipe
Thimble	/	4.70	White rubber thimble

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 12 of 24

Part(s) Name	Model/ Specs	Seq. No.	Sample Description
Clamp	/	4.71	Silvery metal
Pin	/	4.72	Golden metal pin
/	/	4.73	Round golden metal sheet
/	/	4.74	Silvery metal
/	/	4.75	Transparent plastic
Sleeve	/	4.76	Silvery metal sleeve
Pipe	/	4.77	Beige plastic pipe
Thimble	/	4.78	Black plastic thimble
/	SC-P	4.79	Green plastic
/	/	4.80	Cream-colored plastic
/	/	4.81	Light green plastic
Spring	/	4.82	Silvery metal spring
Sleeve	/	4.83	Silvery metal sleeve
/	/	4.84	Light green soft plastic thimble
/	/	4.85	Silvery-white solid stick
Aluminum Shell	/	4.86	Aluminum board
SMD Capacitor	104P	4.87	SMD capacitor body
SMD Resistor	103	4.88	SMD resistor body
LED	/	4.89	Transparent plastic
		4.90	Silvery metal pin
Audion	LM35	4.91	Black body
		4.92	Silvery metal pin
Magnet	AC023016	4.93	Silver metal magnet
Thimble	/	4.94	Transparent plastic thimble
Tiny Conduit	/	4.95	Transparent plastic with yellow color
/	PIF12CG711100 S/N: 62803218	4.96	Silvery metal
		4.97	Transparent plastic with red color
		4.98	Transparent glue
		4.99	Transparent thimble
Tiny Conduit	/	4.100	Silvery metal
		4.101	Transparent plastic with black color
Tiny Conduit	/	4.102	Light yellow plastic
Tiny Conduit	/	4.103	Grey plastic

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 13 of 24

2. The Test Results on XRF:

Tested Items	Results								
	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9
Lead (Pb)	BL	BL	BL	BL	BL	BL	OL	X	X
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	X	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	X	X	BL	BL	X	X
Bromine (Br)	---	---	---	---	---	---	---	---	---

Tested Items	Results								
	1.10	1.11	1.12	1.13	1.14	1.15	1.16	1.17	1.18
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	OL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	BL	BL	---	BL	BL	BL	---	---

Tested Items	Results								
	1.19	1.20	1.21	1.22	2.1	2.2	2.3	2.4	2.5
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	X	---	BL	BL	---	BL	BL	BL

Tested Items	Results								
	2.6	2.7	2.8	2.9	2.10	2.11	2.12	2.13	2.14
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	---	BL	BL	BL	---	BL	X	X

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 14 of 24

Tested Items	Results								
	2.15	2.16	2.17	2.18	2.19	2.20	2.21	2.22	2.23
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	X	X	BL	X	BL
Bromine (Br)	X	X	---	X	---	BL	X	---	---

Tested Items	Results								
	2.24	2.25	2.26	2.27	2.28	2.29	2.30	2.31	2.32
Lead (Pb)	BL	BL	BL	BL	BL	OL	OL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	X	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	---	---	BL	BL	---	BL	BL	BL

Tested Items	Results								
	2.33	2.34	2.35	2.36	2.37	2.38	2.39	2.40	2.41
Lead (Pb)	BL	BL	BL	BL	OL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	X	---	---	---	---	BL	---	BL	---

Tested Items	Results								
	2.42	2.43	2.44	2.45	2.46	2.47	2.48	2.49	2.50
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	---	BL	---	X	---	X	---	BL

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 15 of 24

Tested Items	Results								
	2.51	2.52	2.53	2.54	2.55	2.56	2.57	2.58	2.59
Lead (Pb)	BL	BL	BL	BL	BL	OL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	---	---	---	X	---	---	X	---

Tested Items	Results								
	2.60	2.61	2.62	2.63	2.64	2.65	2.66	2.67	2.68
Lead (Pb)	BL	X	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	X	---	---	BL	---	BL	---	BL	---

Tested Items	Results								
	2.69	2.70	2.71	2.72	2.73	2.74	2.75	2.76	2.77
Lead (Pb)	BL	BL	BL	BL	BL	BL	OL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	---	BL	---	BL	BL	---	BL	BL

Tested Items	Results								
	2.78	2.79	2.80	2.81	2.82	2.83	2.84	2.85	2.86
Lead (Pb)	OL	OL	BL	BL	BL	BL	X	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	BL	---	---	X	X	X	---	BL

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 16 of 24

Tested Items	Results								
	2.87	2.88	2.89	2.90	2.91	2.92	2.93	2.94	2.95
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	X	BL	BL	BL	BL
Bromine (Br)	---	X	BL	BL	---	BL	---	---	X

Tested Items	Results								
	2.96	2.97	2.98	2.99	3.1	3.2	3.3	3.4	3.5
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	X	BL
Bromine (Br)	---	---	---	---	X	BL	---	---	---

Tested Items	Results								
	3.6	3.7	3.8	3.9	3.10	3.11	3.12	3.13	3.14
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	X	---	X	---	X	---	---	BL

Tested Items	Results								
	3.15	3.16	3.17	3.18	3.19	3.20	3.21	3.22	3.23
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	X	X	BL	BL	BL	BL	BL
Bromine (Br)	---	---	---	---	---	---	X	---	---

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 17 of 24

Tested Items	Results								
	3.24	3.25	3.26	3.27	3.28	3.29	3.30	3.31	3.32
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	X	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	---	---	X	---	BL	BL	BL	BL

Tested Items	Results								
	3.33	3.34	3.35	3.36	3.37	3.38	3.39	3.40	3.41
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	OL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	BL	BL	BL	X	X	X	X	BL

Tested Items	Results								
	3.42	3.43	3.44	3.45	3.46	3.47	3.48	3.49	3.50
Lead (Pb)	BL	BL	OL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	X
Bromine (Br)	BL	---	---	---	---	BL	---	---	---

Tested Items	Results								
	3.51	3.52	3.53	3.54	3.55	3.56	3.57	3.58	3.59
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	X	---	BL	---	BL	---	BL	BL

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 18 of 24

Tested Items	Results								
	3.60	3.61	3.62	3.63	3.64	3.65	3.66	3.67	3.68
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	OL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	X	X	---	---	BL	BL	BL	---

Tested Items	Results								
	3.69	3.70	3.71	3.72	3.73	3.74	3.75	3.76	3.77
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	X	BL	BL	BL	---	BL	BL	---	BL

Tested Items	Results								
	3.78	3.79	3.80	3.81	3.82	3.83	3.84	3.85	3.86
Lead (Pb)	OL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	X	BL	---	BL	BL	---	X	---

Tested Items	Results								
	3.87	3.88	3.89	3.90	3.91	3.92	3.93	3.94	3.95
Lead (Pb)	BL	BL	BL	BL	BL	OL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	X	---	---	BL	BL	---	X	---	BL

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 19 of 24

Tested Items	Results								
	3.96	3.97	3.98	3.99	4.1	4.2	4.3	4.4	4.5
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	---	BL	---	BL	BL	---	X	BL

Tested Items	Results								
	4.6	4.7	4.8	4.9	4.10	4.11	4.12	4.13	4.14
Lead (Pb)	BL	BL	BL	BL	BL	X	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	X	BL	---	BL	---	---	BL	X

Tested Items	Results								
	4.15	4.16	4.17	4.18	4.19	4.20	4.21	4.22	4.23
Lead (Pb)	BL	BL	OL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	X	---	X	BL	---	BL	---	BL

Tested Items	Results								
	4.24	4.25	4.26	4.27	4.28	4.29	4.30	4.31	4.32
Lead (Pb)	BL	BL	BL	BL	OL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	BL	---	X	---	X	BL	BL	BL

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 20 of 24

Tested Items	Results								
	4.33	4.34	4.35	4.36	4.37	4.38	4.39	4.40	4.41
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	BL	BL	BL	BL	BL	X	---	X

Tested Items	Results								
	4.42	4.43	4.44	4.45	4.46	4.47	4.48	4.49	4.50
Lead (Pb)	BL	BL	BL	BL	BL	BL	OL	BL	BL
Cadmium (Cd)	X	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	---	BL	X	---	BL	---	---	X	---

Tested Items	Results								
	4.51	4.52	4.53	4.54	4.55	4.56	4.57	4.58	4.59
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	X	BL	BL	BL
Bromine (Br)	---	X	BL	BL	BL	---	X	---	---

Tested Items	Results								
	4.60	4.61	4.62	4.63	4.64	4.65	4.66	4.67	4.68
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	X	BL	BL	X	BL	BL	BL	BL	BL
Bromine (Br)	---	BL	---	BL	---	---	---	BL	BL

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 21 of 24

Tested Items	Results								
	4.69	4.70	4.71	4.72	4.73	4.74	4.75	4.76	4.77
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	X	BL	X	BL	BL	BL	BL	X	BL
Bromine (Br)	---	BL	---	---	---	---	BL	---	BL

Tested Items	Results								
	4.78	4.79	4.80	4.81	4.82	4.83	4.84	4.85	4.86
Lead (Pb)	BL	BL	BL	BL	BL	OL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	X	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Bromine (Br)	BL	X	X	BL	---	---	BL	BL	---

Tested Items	Results								
	4.87	4.88	4.89	4.90	4.91	4.92	4.93	4.94	4.95
Lead (Pb)	BL	X	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	BL	BL	BL	BL	BL	BL	X	BL	BL
Bromine (Br)	BL	BL	X	---	BL	---	---	BL	BL

Tested Items	Results							
	4.96	4.97	4.98	4.99	4.100	4.101	4.102	4.103
Lead (Pb)	BL	BL	BL	BL	BL	BL	BL	BL
Cadmium (Cd)	BL	BL	BL	BL	BL	BL	BL	BL
Mercury (Hg)	BL	BL	BL	BL	BL	BL	BL	BL
Chromium (Cr)	X	BL	BL	BL	X	BL	BL	BL
Bromine (Br)	---	BL	BL	BL	---	BL	BL	BL

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 22 of 24

Note :

- BL = Below Limit by XRF analysis
- OL = Over Limit by XRF analysis
- X = Inconclusive (questionable, need further chemical analysis)
- The test results on XRF only for reference.

Remark :

Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for CrVI) and GCMS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321/ 2nd (111/95/CDV).

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL ≤70-3 < X <130+3 ≤ OL	BL ≤70-3 < X <130+3 ≤ OL	LOD < X < 250+3 ≤ OL
Pb	mg/kg	BL ≤700-3 < X < 1300+3 ≤ OL	BL ≤700-3 < X < 1300+3 ≤ OL	BL ≤500-3 < X <1500+3 ≤ OL
Hg	mg/kg	BL ≤700-3 < X <1300+3 ≤ OL	BL ≤700-3 < X <1300+3 ≤ OL	BL ≤500-3 < X < 1500+3 ≤ OL
Cr	mg/kg	BL ≤700-3 < X	BL ≤700-3 < X	BL ≤500-3 < X
Br	mg/kg	BL ≤300-3 < X	--	BL ≤250-3 < X

Note:

- BL = Below Limit
- OL = Over Limit
- X = Inconclusive
- LOD = Limit of Detection

The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2002/95/EC.

Photo is included.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
 Tel: +86-755-33320018 Fax: +86-755-33320008



Test Report

No.: RSH0812122897E

Date: December 26, 2008

Page 23 of 24

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr VI)	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.


The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
Tel: +86-755-33320018 Fax: +86-755-33320008

Photograph of Sample



BACL authenticate the photo on original report only

End of Report

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp.(Shenzhen)

6/F, the 3rd Phase of WanLi Industrial Building, ShiHua Road, FuTian Free Trade Zone Shenzhen, Guangdong, China
Tel: +86-755-33320018 Fax: +86-755-33320008